

Kororoit Creek Primary School

130 Tenterfield Dr, Burnside Heights, 3023

Principal: Bethany Riseley

ABN: 36 434 158 723

Anaphylaxis Policy



Help for non-English speakers

If you need help to understand this policy, please contact Kororoit Creek Primary School (KCPS) at kororoit.creek.ps@education.vic.gov.au.

Purpose

To explain to Kororoit Creek Primary School parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Kororoit Creek is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

Scope

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

Policy

School Statement

Kororoit Creek Primary School will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

Symptoms

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- · wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen but can appear within a few minutes.



Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis. Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Kororoit Creek Primary School who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the Principal/Assistant Principal/School Nurse of Kororoit Creek Primary School is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrols at Kororoit Creek Primary School and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that has not expired
- participate in annual reviews of the student's Plan.
- Provide an in date Epipen when requested by our school nurse. She will inform parents/ caregivers when a new Epipen is required.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.
- Documentation stating whether an auto injector has ever been administered to the student and details of when, how long symptoms took to develop and which allergen triggered the attack.

Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

as soon as practicable after the student has an anaphylactic reaction at school



- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at Kororoit Creek Primary School First Aid Room as well as the classroom information folder. Student's adrenaline auto injector will be stored in the First Aid Room. Adrenaline autoinjectors must be labelled with the student's name and will be kept in the First Aid Room.

Risk minimisation strategies


- Identifying susceptible students and knowing their allergens with lists displayed in First Aid room and staff room to be maintained/updated by the School Nurse.
- Informing the community about anaphylaxis via the school newsletter and website
- The completion of the Annual Anaphylaxis Risk Management Checklist
- Not allowing food sharing, and restricting food to that approved by parents, both at in-school and out-ofschool settings
- Keeping the lawns well mown, ensuring children always wear shoes, and not allowing drink cans at school during school hours.
- Ensuring staff are provided with professional development and updates on anaphylaxis management, identification and response to anaphylaxis. An anaphylaxis management briefing will be conducted each semester for staff, which will include proper use of adrenaline auto-injection devices.
- Seeking to identify potential allergens that could be onsite at planned excursions and camps, and taking reasonable preventative action/s for any students attending who may suffer from anaphylaxis.
- The school endeavours to restrict nuts coming onto the school site. The school canteen does not store or supply any nut products. Parents are requested to not send any nut products or nuts to school to support the health and wellbeing of those children in our school community who are at risk of anaphylaxis.
- The school will reinforce the rule about students not sharing food and only eating foods provided from home.
- Copies of individual anaphylaxis plans are located in the students' classroom to ensure volunteers and casual relief staff have access to details of their medical condition.

Adrenaline autoinjectors for general use

Kororoit Creek Primary School will maintain a supply of adrenaline autoinjectors for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first-time reaction at school. Adrenaline autoinjectors for general use will be stored at Kororoit Creek Primary School's First Aid room and in each of the first aid kits located in the warden rooms* across the school. They will be labelled "general use".

* H01, H14, H19, H23, H28, H32, H34, H38, H45, H49, H53, H57, and the Gym.





The Principal is responsible for arranging the purchase of adrenaline autoinjectors for general use, and will consider:

- the number of students enrolled at KCPS at risk of anaphylaxis
- the accessibility of adrenaline autoinjectors supplied by parents
- the availability of a sufficient supply of autoinjectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline autoinjectors, and the need for general use adrenaline autoinjectors to be replaced when used or prior to expiry.
- the weight of the students at risk of anaphylaxis to determine the correct dosage of adrenaline autoinjector/s to purchase

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by the school nurse and stored at Kororoit Creek Primary School First Aid Room. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	 Lay the person flat Do not allow them to stand or walk If breathing is difficult, allow them to sit Be calm and reassuring Do not leave them alone Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's



- Individual Anaphylaxis Management Plan, stored at Kororoit Creek Primary School First Aid Room.
 - If the student's plan is not immediately available, or they appear to be experiencing a first-time reaction, follow steps 2 to 5
- 2. Administer an EpiPen or EpiPen Jr (if the student is under 20kg)
 - Remove from plastic container
 - Form a fist around the EpiPen and pull off the blue safety release (cap)
 - Place orange end against the student's outer mid-thigh (with or without clothing)
 - Push down hard until a click is heard or felt and hold in place for 3 seconds
 - Remove EpiPen
 - Note the time the EpiPen is administered
 - Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration

OR

Administer an Anapen® 500, Anapen® 300, or Anapen® Jr.

- Pull off the black needle shield
- Pull off grey safety cap (from the red button)
- Place needle end firmly against the student's outer mid-thigh at 90 degrees (with or without clothing)
- Press red button so it clicks and hold for 3 seconds
- Remove Anapen[®]
- Note the time the Anapen is administered
- Retain the used Anapen to be handed to ambulance paramedics along with the time of administration
- 3. Call an ambulance (000)
- 4. If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
- 5. Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2-5 as above.

Schools can use either the EpiPen® and Anapen® on any student suspected to be experiencing an anaphylactic reaction, regardless of the device prescribed in their ASCIA Action Plan.

Where possible, schools should consider using the correct dose of adrenaline autoinjector depending on the weight of the student. However, in an emergency if there is no other option available, any device should be administered to the student.

[Note: If in doubt, it is better to use an adrenaline autoinjector than not use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over-treatment of a mild to moderate allergic reaction. Refer to page 41 of the <u>Anaphylaxis Guidelines</u>].



Communication Plan

This policy will be available on Kororoit Creek Primary School's website so that parents and other members of the school community can easily access information about Kororoit Creek Primary School's anaphylaxis management procedures. The parents and carers of students who are enrolled at Kororoit Creek Primary School and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy and Kororoit Creek Primary School's procedures for anaphylaxis management. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will be directed by the front office to check the CRT folder in the homeroom for Individual Anaphylaxis Management Plan and ASCIA Action Plan for Anaphylaxis as well as directed on the day sheet provided.

The Principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's Anaphylaxis Guidelines.

Staff training

The Principal will ensure that the following school staff are appropriately trained in anaphylaxis management:

School staff who conduct classes attended by students who are at risk of anaphylaxis

Any other member of school staff as required by the Principal/School Nurse based on a risk assessment.

Staff who are required to undertake training must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Kororoit Creek Primary School uses the ASCIA eTraining for Victorian Schools.

[Note, for details about approved staff training modules, see page 13 of the Anaphylaxis Guidelines]

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including the principal or School Anaphylaxis Supervisor. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrols at Kororoit Creek Primary School and is at risk of anaphylaxis, the principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

The principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.



A record of staff training courses and briefings will be maintained through the school's online Emergency Management Plan.

Further information and resources

- School Policy and Advisory Guide:
 - **Anaphylaxis**
 - Anaphylaxis management in schools
- Allergy & Anaphylaxis Australia: Risk minimisation strategies
- ASCIA Guidelines: Schooling and childcare
- Royal Children's Hospital: Allergy and immunology

Policy review and approval

Policy last reviewed	22 nd February 2024
Approved by	Principal
Next scheduled review date	23 rd February 2025 [nothing that this policy has a mandatory review cycle of 1 year]

The Principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.

































